## STATE OF INDIANA BEFORE THE FIRE PREVENTION AND BUILDING SAFETY COMMISSION

IN RE:	)	CAUSE NO.
BRENNEMAN DAY CARE	) )	DHS-1516-FPBSC-011
	)	

## NON-FINAL ORDER OF DISMISSAL

On August 24, 2015, the Respondent in this matter filed a Joint Motion to Dismiss stating that the parties had reach an informal resolution.

Accordingly, the Administrative Law Judge now enters this Non-Final Order of Dismissal and VACATES the Initial Prehearing Conference set for August 26, 2015. The ultimate authority in this matter is the Fire Prevention and Building Safety Commission. Indiana Code § 4-21.5-3-29(d) requires any party seeking to preserve an objection to this order for judicial review to file a written objection that

- 1. identifies the basis of the objection with reasonable particularity; and
- 2. is filed with the Commission within fifteen days (or any longer period set by statute) after this order is served.

In the absence of an objection from a party or notice from the Commission of its intent to review any issue related to this order, the Commission shall affirm this order in accordance with Indiana Code § 4-21.5-3-29(c). This order will be considered by the Commission on October 6, 2015, at 9:00 a.m. (EST), in Conference Center Room B, Indiana Government Center South, 302 West Washington Street, Indianapolis, IN 46204.

Date: August 24, 2015

HÓN. JUSTIN P. FORKNER

Administrative Law Judge

Indiana Department of Homeland Security

302 W. Washington Street

Indiana Government Center South, Rm W246

Indianapolis, Indiana 46204 Telephone: (317) 234-8917

Fax: (317) 232-0146

E-mail: jforkner@dhs.in.gov

A copy of the foregoing was served by U.S. Postal Service upon the following parties and attorneys of record:

Patricia Bainter Brenneman Missionary Church 61115 State Road 15 Goshen, IN 46528

and personally served on the following attorney of record:

Chelsea E. Smith, Esq.; Staff Attorney Indiana Department of Homeland Security 302 W. Washington Street Indiana Government Center South, Room W246 Indianapolis, IN 46204